

# How To Reset Miles On VW cluster 3D With Xhorse Iscancar MM-007

**Purpose:** Odometer reset, from change 113001 km to 0 KM

**Instrument cluster Model:** VW 5N0 3d cluster with SW0705 and 1104

**The tool used:** [Xhorse Iscancar V-A-G MM-007 Mileage Programmer](#)

**Process:**

Step 1. Connect the Xhorse Iscancar MM007 to the car via OBD-Port.

Step 2. Choose **"Special Function"-->"KM Calibration"-->"Dashboard"-->"NEC+24C64(2014.06-VW/SKODA/SEAT)"**

- BTW, after choosing NEC+24C64(2014.06-VW/SKODA/SEAT, we can learn Iscancar MM007 can reset mileage for **Santana 2017, Polo 2017, Tiguan 2014-, Lavida 2017, Sagitar 2015-, Scirocco 2015.**
- Then press OK to continue

Step 3. Input the new mileage: 0 KM, then press OK.

Finally, the mileage change to **0km**, write the new with KM Xhorse IScanner successfully!



Xhorse

Diagnostic & Maintenance Tool

Instrument KM  
AutoDetect Instrument  
MQB  
CDC32XX (2007-)  
NEC+24C22 (2008-)  
NEC+24C34 (2009-)  
NEC+24C64 (2013-)  
24C64 (2014. 06-VW/SKODA/SEAT)  
24C64 (2014. 06-Audi A1/C

FRONT  
2  
THIS STICKER HELPS TO REMOVE  
THE MASK FROM THE SCREEN  
PLEASE PEEL OFF THE MASK WITH THE STICKER

← OK X ● 1/6

OBD

USB

LS-CAN-CAR®

X

Xhorse

Diagnostic & Maintenance Tool

# Instrument KM

Support cars:

Santana(2017)

Polo(2017)

Tiguan(2014)

Lavida(2017)

Jetta(2017)

Sagitar(2015-)

Scirocco(2015-)



Press<OK>Continue

1/6

← OK X →

FRONT

MOVE THE MASK WITH THIS STICKER

SONDA

Diagnostic & Maintenance Tool

# Instrument KM

Old KM :  
113000 KM

New KM:



0

Tips: DEL (backspace), press OK when finish

0 1 2 3 4 5 6 7 8 9 DEL **OK**

FRONT

TO REMOVE  
SCREEN-GUARD  
PLEASE PASTE WITH THIS STRIP



OK X



1/6

LESCAR

Diagnostic & Maintenance Tool

# Instrument KM

Choose login method, only 1, 2:



Tips: DEL (backspace), press OK when finish

0 **1** 2 3 4 5 6 7 8 9 DEL OK

← OK X ● 1/6

② FRONT  
TO REMOVE  
SCREENGUARD  
PLEASE  
REMOVE WITH THIS STICK

ISCAR®

Xhorse®

Diagnostic & Maintenance Tool

### Instrument KM

Please wait...  
Connecting controller, please wait...  
Waiting controller response...  
Set new KM successfully.

Press<OK>Continue

→ ← OK X ● 1/6

ETANCAR®



Depress clutch  
to start

FROM THE SCHEMATIC  
THE MASK WITH THIS STICKER

